

FIG.1




FIG.2




FIG.3




FIG. 4




FIG.5






FIG.6



009060"4749560

FIG.7



09556414-090600

## FIG.8

Date: Tue, 16 Feb 1999 13:23:20 +0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return receipt  
Message-Id: <199902160423.NAA01411@jupiter.abcdcdb.co.jp>  
To: user-d@jupiter.abcdcdb.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report: report-type=delivery-status;  
boundary="NAA01411.919139000/jupiter.abcdcdb.co.jp"  
Auto-Submitted: auto-generated (return-receipt)  
X-UIDL: d31657172d7ca5840c19c31b62722f0b  
X-winbiff-received-account: jupiter  
X-winbiff-flags: Seen

This is a MIME-encapsulated message

--NAA01411.919139000/jupiter.abcdcdb.co.jp  
The original message was received at Tue, 16 Feb 1999 13:22:39+0900 (JST)  
from jupiter.abcdcdb.co.jp [111.222.33.44]

---The following addresses had successful delivery notifications---  
walk@jupiter (successfully delivered to mailbox)

-----Transcript of session follows-----

walk@jupiter. Successfully delivered

--NAA01411.919139000/jupiter.abcdcdb.co.jp  
Content-Type: message/delivery-status  
Reporting-MTA: dns; jupiter.abcdcdb.co.jp  
Received-From-MTA: DNS; jupiter.abcdcdb.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)

Final-Recipient: RFC822; walk@jupiter  
Action: delivered (to mailbox)  
Status: 2.1.5  
Last-Attempt-Date: Tue, 16 Feb 1999 13:23:20+0900 (JST)  
X-Transmitted-NumberOfPage-To-Fax: 5  
X-Charge-Information-To-Fax: ¥100

--NAA01411.919139000/jupiter.abcdcdb.co.jp

Content-Type: text/rfc822-headers

Return-Path: <user-d@jupiter.abcdcdb.co.jp>  
Received: from host (jupiter.abcdcdb.co.jp [111.222.33.44])  
by jupiter.abcdcdb.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8) with ESMTP id NAA01410  
for walk@jupiter. Tue. 16 Feb 1999 13:22:39+0900 (JST)  
Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)  
From: user-d <user-d@jupiter.abcdcdb.co.jp>  
Message-Id: <199902160422.NAA01410@jupiter.abcdcdb.co.jp>

--NAA01411.919139000/jupiter.abcdcdb.co.jp

DSN (DELIVERED) MAIL

090600-44-090600



## FIG. 9

Date: Tue, 16 Feb 1999 13:25:03 +0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Returned mail: User unknown  
Message-Id: <199902160425.NAA01419@jupiter.abcdcdb.co.jp>  
To: user-d@jupiter.abcdcdb.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=delivery-status;  
boundary="NAA01419.919139103/jupiter.abcdcdb.co.jp"  
Auto-Submitted: auto-generated(failure)  
X-UIDL: cb1b4451b3b95d56bbc67dc7c462c33d  
X-winbiff-received-account: jupiter  
X-winbiff-flags: Seen

This is a MIME-encapsulated message

--NAA01419.919139103/jupiter.abcdcdb.co.jp  
The original message was received at Tue, 16 Feb 1999 13:23:47+0900 (JST)  
from jupiter.abcdcdb.co.jp [111.222.33.44]

-----The following addresses had permanent fatal errors-----  
abc@abccddcba.co.jp

-----Transcript of session follows-----  
..while talking to dsp2.abccddcba.co.jp.:  
>>> RCPT To:<abc@abccddcba.co.jp>  
<<<550<abc@abccddcba.co.jp>..User unknown  
550 abc@abccddcba.co.jp.. User unknown

--NAA01419.919139103/jupiter.abcdcdb.co.jp  
Content--Type:message/delivery-status

Reporting--MTA:dns; jupiter.abcdcdb.co.jp  
Received-From-MTA: DNS; jupiter.abcdcdb.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:23:47+0900(JST)

Final-Recipient: RFC822; abc@abccddcba.co.jp  
Action: failed  
Status: 5.1.1  
Remote-MTA: DNS: dsp2.abccddcba.co.jp  
Diagnostic-Code: SMTP; 550 <abc@abccddcba.co.jp>..User unknown  
Last-Attempt-Date: Tue, 16 Feb 1999 13:25:03+0900 (JST)

--NAA01419.919139103/jupiter.abcdcdb.co.jp  
Content-Type: message/rfc822

ATTACHED MESSAGE

--NAA01419.919139103/jupiter.abcdcdb.co.jp

DSN (FAILED) MAIL

09656414.090600

## FIG.10A

Date: Tue, 16 Feb 1999 13:41:13+0900  
From: user-d@abcddcba.co.jp  
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.co.jp>  
Subject: Return Receipt (displayed)-test  
To: user-d@jupiter.abcdcdb.co.jp  
References: <19990216134143N.user-d@abcddcba.co.jp>  
MIME-Version: 1.0  
Content-Type: multipart/report: report-type=disposition-notification;  
boundary="-----mdn97D5884EAE879BD0C9F642A9"  
X-UIDL: c56bf5fb9c1b735902cfb990613c74d1  
X-winbiff-received-account:jupiter  
X-winbiff-flags:Seen

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: text/plain; charset=iso-2022-jp

Content-Transfer-Encoding: 7bit

This is a Return Receipt for the mail that you sent to  
user-d@abcddcba.co.jp.

Note: this Return Receipt only acknowledges that the message was  
displayed on the recipient's machine. There is no guarantee that the  
content has been read or understood.

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: message/disposition-notification; name="MDNPart2.txt"

Content-Disposition: inline

Content-Transfer-Encoding: 7bit

Reporting-UA: tulip.abcddcba.co.jp; Mozilla 4.5 [ja] (Win95;1)

Final-Recipient: rfc822; user-d@abcddcba.co.jp

Original-Message-ID: <19990216134143N.user-d@abcddcba.co.jp>

Disposition: manual-action/MDN-sent-manually; displayed

X-Transmitted-NumberOfPage-To-Fax: 5

X-Charge-Information-To-Fax: ¥100

===== (CONTINUED) =====

MDN (DISPLAYED) MAIL

009060"4495960

## FIG.10B

===== (CONTINUED) =====


-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: text/rfc822-headers; name="MDNPart3.txt"  
Content-Transfer-Encoding: 7bit  
Content-Disposition: inline

Received: from lily.abcdcdba.co.jp(lily.abcdcdba.co.jp  
[111.222.33.55])  
by jupiter.abcdcdb.co.jp (8.9.1/3.7Wjupiter sendmail-cf v8) with  
SMTP id NAA01448  
for <nwm@jupiter.abcdcdb.co.jp>; Tue, 16 Feb 1999 13:44:04+0900  
(JST)  
Received: from localhost by lily-abcdcdba.co.jp  
(5.67+1.6W/2.8Wb-91Jan07)  
id AA01425; Tue, 16 Feb 99 13:41:44 JST  
To: nwm@jupiter.abcdcdb.co.jp  
Subject: test  
Disposition-Notification-To: user-d@jupiter.abcdcdb.co.jp  
X-Mailer: Mew version 1.93 on Emacs 19.28 / Mule 2.3 (SUETSUMUHANA)  
Mime-Version: 1.0  
Content-Type: Text/Plain; charset=us-ascii  
Content-Transfer-Encoding: 7bit  
Message-Id: <19990216134143N.user-d(@abcdcdba.co.jp>  
Date: Tue, 16 Feb 1999 13:41:43+0900  
From: user-d <user-d@abcdcdba.co.jp>  
X-Dispatcher: input version 980905 (IM100)  
Lines: 1  
X-UIDL: 8614c297fa493494f978b1193317e40e

-----mdn97D5884EAE879BD0C9F642A9-

MDN (DISPLAYED) MAIL (CONTINUED)

FIG.11A



00906074-090600

FIG.11B





FIG.11C



095644-090600

FIG.12






FIG.13






# FIG.14




009060"4495960

FIG.15A




009060"44-090600

FIG.15B



009060" 4495960

FIG.15C



009060" 4T495960

FIG.16A

RECEPTION ABILITY INFORMATION #1
-----
RECEPTION ABILITY INFORMATION #m

(RECEPTION ABILITY TABLE)

FIG.16B

TELEPHONE NUMBER
RECEPTION ABILITY

(RECEPTION ABILITY INFORMATION)

## FIG.17

Date: Tue, 16 Feb 1999 13:23:20+0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return receipt  
Message-Id: <199902160423.NAA01411@jupiter.abcdcdba.co.jp>  
To: user-d@jupiter.abcdcdba.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report: report-type=delivery-status;  
boundary="NAA01411.919139000/jupiter.abcdcdba.hor.co.jp"  
Auto-Submitted: auto-generated (return-receipt)

This is a MIME-encapsulated message

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp  
The original message was received at Tue, 16 Feb 1999 13:22:39+0900(JST)  
from jupiter.abcdcdba.hor.co.jp [111.222.33.44]

---The following addresses had successful delivery notifications---  
Fax=+81-3-9876-5432@jupiter.(Successfully dispatched)

-----Transcript of session follows-----  
Fax=+81-3-9876-5432@jupiter...Successfully dispatched

--NAA01411.919139000/jupiter.abcdcdba.co.jp  
Content-Type: message/delivery-status

Reporting--MTA:dns; jupiter.abcdcdba.hor.co.jp  
Received-From-MTA: DNS: jupiter.abcdcdba.hor.co.jp  
Arrival-Date; Tue, 16 Feb 1999 13:22:39+0900(JST)

Final-Recipient: RFC822; Fax=+81-3-9876-5432@jupiter  
Action:dispatched  
Status: 2.0.0

Last-Attempt-Date:Tue, 16 Feb 1999 13:23:20+0900(JST)  
Media-Accept-Features: (& (color-Binary)(image-file-structure=[TIFF-S])  
(| (& (dpi=200) (dpi-xratio=200/100)) (& (dpi=200)(dpi-xratio=1))))  
(image-coding=[MII,MR,MMR])(MRC-mode=0)(paper-size=[A4,B4]))

X-G3Fax-JM: V.34,V.17,V.29,V.27ter  
X-G3Fax-INTERNET: T.37 simple mode  
X-G3Fax-CSA: kilo@medaka.pole.co.jp  
X-G3Fax-NSF: 000000004176ca8c7b99038ccf3aa3231488776f5ccb

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp  
Content-Type: text/rfc822-headers

Return-Path: <user-d@jupiter.abcdcdba.hor.co.jp>  
Received: from host (jupiter.abcdcdba.hor.co.jp [111.222.33.44])  
by jupiter.abcdcdba.hor.co.jp (8.9.1/3.7Wjupiter sendmail-cf v8) with ESMTP id NAA01410  
for Fax=+81-3-9876-5432@jupiter, Tue, 16 Feb 1999 13:22:39+0900 (JST)  
Date: Tue, 16 Feb 1999 13:22:39+0900 (JST)  
From: Full Name <user-d@jupiter.abcdcdba.hor.co.jp>  
Message-Id: <199902160422.NAA01410@jupiter.abcdcdba.hor.co.jp>

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp-----

DSN MAIL (WITH RECEPTION ABILITY)

009060"4F495960

## FIG.18

Date: Tue, 16 Feb 1999 13:41:13+0900  
From: Fax-Gateway@jupiter.abcdcdcb.hor.co.jp  
Message-ID: <36C8F6E9.39C6DC2F@jupiter.abcdcdcb.hor.co.jp>  
Subject: Return Receipt (dispatched)-test  
To: user-d@jupiter.abcdcdcb.hor.co.jp  
References: <19990216134143N.user-d@mie.hor.co.jp>  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=disposition-notification;  
boundary="-----mdn97D5884EAE879BD0C9F642A9"

-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: text/plain; charset=iso-2022-jp  
Content-Transfer-Encoding: 7bit

This is a Return Receipt for the mail that you sent to  
user-d@jupiter.abcdcdcb.hor.co.jp.

Note: this Return Receipt only acknowledges that the message was  
sent to the recipient's machine. There is no guarantee th at the  
content has been read or understood.

-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: message/disposition-notification;  
Content-Disposition: inline  
Content-Transfer-Encoding: 7bit

Reporting-UA; jupiter.abcdcdcb.hor.co.jp; Jupiter.Gateway  
Final-Recipient: RFC822; Fax=+81-3-9876-5432@jupiter  
Original-Message-ID: <19990216134143N.user-d@jupiter.abcdcdcb.hor.co.jp>  
Disposition: manual-action/MDN-sent-manually: dispatched  
Media-Accept-Features: (& (color=Binary)(image-file-structure=[TIFF-S]))  
(| & (dpi=200) (dpi-xratio=200/100)) (& (dpi=200) (dpi-xratio=1)))  
(image-coding=[MH,MR,MMR])(MRC-mode=0) (paper-size=[A4,B4]))  
X-G3Fax-JM: V.34,V.17,V.29,V.27ter  
X-G3Fax-INTERNET: T.37 simple mode  
X-G3Fax-CSA: naka@medaka.pole.co.jp  
X-G3Fax-NSF: 000000004f76ca8c7b99038ccf3aa.3231488776f5ccb

-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: text/rfc822-headers;  
Content-Transfer-Encoding: 7bit  
Content-Disposition: inline


Received: from lily abcdcdcb.hor.co.jp (jupiter.abcdcdcb.hor.co.jp[111.222.33.55])  
by jupiter.abcdcdcb.hor.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8) with SMTP id NAA01448  
for <Fax=+81-3-9876-5432@jupiter.abcdcdcb.hor.co.jp>; Tue, 16 Feb 1999 13:44:04+0900(JST)  
Received: from localhost by jupiter.abcdcdcb.hor.co.jp (8.9.1/3.7Wjupiter sendmail.cf v8)  
id AA01425; Tue, 16 Feb 99 13:41:44 JST  
To: Fax=+81-3-9876-5432@jupiter.abcdcdcb.hor.co.jp  
Subject: test  
Disposition-Notification-To: user-d@jupiter.abcdcdcb.hor.co.jp  
Message-Id: <19990216134143N.user-d@jupiter.abcdcdcb.hor.co.jp>  
Date: Tue, 16 Feb 1999 13:41:43+0900  
From: Hiroshi User-d <user-d@jupiter.abcdcdcb.hor.co.jp>

-----mdn97D5884EAE879BD0C9F642A9-----

MDN MAIL (WITH RECEPTION ABILITY)

009060"4T495960


FIG.19A



009060" 4T495960




# FIG.19B




09656414-090600

FIG.19C




009060" 4T495960

FIG.20A



009060" 47495960

FIG.20B



009060"4T495600

096554.14 " 090600

FIG.20C




FIG.21

Date: Tue, 16 Feb 1999 13:23:20 +0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return receipt  
Message-Id: <199902160423.NAA01411@jupiter.mie.hor.co.jp>  
To: user-d@jupiter.abcdcbahor.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=delivery-status;  
boundary="NAA01411.919139000/jupiter.abcdcdba.co.jp"  
Auto-Submitted: auto-generated(return-receipt)

--NAA01411.919139000/jupiter.abcdcdba.co.jp

Fax=046-999-9999@jupiter (successfully relayed to fax)

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp  
Content-Type: message/delivery-status

Reporting-MTA: dns;server abcdcdba.hor.co.jp  
Received-From-MTA: DNS; server.abcdcdba.hor.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:22:39+0900(JST)

Final-Recipient:RFC822; MAILER-DAEMON@abcdcdba.hor.co.jp  
Action:relayed  
Status: 2.0.0

--NAA01411.919139000/jupiter.abcdcdba.hor.co.jp----

DSN (RELAYED) MAIL

## FIG.22

Date: Tue, 16 Feb 1999 13:41:13+0900  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.hor.co.jp>  
Subject: Return Receipt  
To: user-d@jupiter.abcddcba.hor.co.jp  
References: <19990216134143N.user-d@abcddcba.hor.co.jp>  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=disposition-notification;  
                  boundary="-----mdn97D5884EAE879BD0C9F642A9"  
  
-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: text/plain; charset=iso-2022-jp  
Content-Transfer-Encoding: 7bit  
  
FAX=046-999-9999@abcddcba.hor.co.jp (successfully dispatched to fax)  
  
-----mdn97D5884EAE879BD0C9F642A9  
Content-Type: message/disposition-notification;  
Content-Disposition: inline  
Content-Transfer-Encoding: 7bit  
  
Reporting-UA: server.abcddcba.hor.co.jp;  
Final-Recipient: rfc822; MAILER-DAEMON@abcddcba.hor.co.jp  
Original-Message-ID: <19990216134143N.user-d@abcddcba.hor.co.jp>  
Disposition: manual-action/MDN-sent-manually; dispatched  
  
-----mdn97D5884EAE879BD0C9F642A9--

MDN (DISPATCHED) MAIL

009060"4T495960

## FIG.23

Date: Tue. 16 Feb 1999 13:23:20 +0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return receipt  
Message-ID: <199902160423.NAA01411@jupiter.abcdcdcbahor.co.jp>  
To: user-d@jupiter.abcdcdcbahor.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=delivery-status;  
                  boundary="NAA01411.919139000/jupiter.abcdcdcbahor.co.jp"  
Auto-Submitted: auto-generated (return-receipt)

--NAA01411.919139000/jupiter.abcdcdcbahor.co.jp

FAX=046-999-9999(G3fax-signal MCFs was responded for the whole pages.)

--NAA01411.919139000/jupiter.abcdcdcbahor.co.jp  
Content-Type: message/delivery-status

Reporting-MTA: dns; server.abcdcdcbahor.co.jp  
Received-From-MTA: DNS; jupiter.abcdcdcbahor.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:22:39f0900 (JST)

Final-Recipient: RFC822; Fax=046-999-9999@jupiter  
Action: delivered  
Status: 2.0.0

--NAA01411.919139000/jupiter.abcdcdcbahor.co.jp----

DSN (DELIVERED) MAIL

009060" 47495960

## FIG.24

Date: Tue, 16 Feb 1999 13:41:13+0900  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Message-ID: <36C8F6E9.39C6DC2F@abcddcba.hor.co.jp>  
Subject: Return Receipt  
To: user-d@jupiter.abcddcba.hor.co.jp  
References: <19990216134143N.user-d@abcddcba.hor.co.jp>  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=disposition-notification;  
boundary="-----mdn97D5884EAE879BD0C9F642A9"

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: text/plain; charset=iso-2022-jp  
Content-Transfer-Encoding: 7bit

FAX=046-999-9999(G3fax-signal MCFs was responded for the whole pages.)

-----mdn97D5884EAE879BD0C9F642A9

Content-Type: message/disposition-notification  
Content-Disposition: inline  
Content-Transfer-Encoding: 7bit

Reporting-UA: server.abcddcba.hor.co.jp;  
Final-Recipient: rfc822; Fax=046-999-9999@jupiter  
Original-Message-ID: <19990216134143N.user-d@abcddcba.hor.co.jp>  
Disposition: manual-action/MDN-sent-manually; dispatched

-----mdn97D5884EAE879BD0C9F642A9--

MDN (DISPLAYED) MAIL

009060"44499960



## FIG.25

Date: Tue, 16 Feb 1999 13:25:03 +0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return receipt  
Message-ID: <199902160425.NAA01419@jupiter.mie.hor.co.jp>  
To: user-d@jupiter.abcdcdcb.hor.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=delivery-status;  
                  boundary="NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp"  
Auto-Submitted: auto-generated (failure)  
  
--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp  
  
FAX=046-999-9999(G3fax-signal MCFs was not responded for some pages.)  
  
--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp  
Content-Type: message/delivery-status  
  
Reporting-MTA: dns; server.abcdcdcb.hor.co.jp  
Received-From-MTA: DNS; jupiter.abcdcdcb.hor.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:23:47f0900 (JST)  
  
Final-Recipient: RFC822; Fax=046-999-9999@jupiter  
Action: failed  
Status: 5.0.0  
Remote-MTA: DNS; server.abcdcdcb.hor.co.jp  
Diagnostic-Code: SMTP; 554 Transaction failed <Fax=046-999-9999>  
  
--NAA01419.919139103/jupiter.abcdcdcb.hor.co.jp--

DSN (FAILED) MAIL

## FIG.26

Date: Tue. 16 Feb 1999 13:25:03+0900 (JST)  
From: Mail Delivery Subsystem <MAILER-DAEMON>  
Subject: Return Receipt  
Message-Id: <199902160425.NAA01419@jupiter.abcdcdcbahor.co.jp>  
To: user-d@jupiter.abcdcdcbahor.co.jp  
MIME-Version: 1.0  
Content-Type: multipart/report; report-type=delivery-status;  
                  boundary="NAA01419.919139103/jupiter.abcdcdcbahor.co.jp"  
Auto-Submitted: auto-generated (failure)

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp

FAX=046-999-9999(G3fax-signal MCFs was not responded for some pages.)

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp  
Content-Type: message/delivery-status

Reporting-MTA: dns; server.abcdcdcbahor.co.jp  
Received-From-MTA: DNS; jupiter.abcdcdcbahor.co.jp  
Arrival-Date: Tue, 16 Feb 1999 13:23:47+0900 (JST)


Final-Recipient: RFC822; Fax=046-999-9999@jupiter  
Action: failed  
Status: 5.0.0  
Remote-MTA: DNS; server.abcdcdcbahor.co.jp  
Diagnostic-Code: SMTP; 554 Transaction failed <Fax=046-999-9999>

--NAA01419.919139103/jupiter.abcdcdcbahor.co.jp--

MDN (FAILED) MAIL


009060"44"090600

# FIG.27A




009060"4495960

FIG.27B




009060-4495960

# FIG.28A




009050"4495960

FIG.28B



009060"44-090600

FIG.28C



005060"4T495960